



1414N4SS Series



Application

- Designed for use as instrument enclosures, electric, hydraulic or pneumatic control housings, electrical junction boxes or terminal wiring enclosures.
- Provides protection where equipment may be hosed down or otherwise be very wet, or in specific applications where corrosion may be a problem.

Standards

- UL 508A Type 3R, 4, 4X, 12 and 13.
- CSA Type 3R, 4, 4X, 12 and 13.
- Complies with
 - NEMA Type 3R, 4, 4X, 12 and 13
 - IEC 60529, IP66

Construction

- Formed from 14 gauge 304 stainless steel.
- Smooth, continuously welded seams.
- Welded brackets provide for enclosure mounting.
- Lift-Off cover is secured with stainless steel clamps and screws.
- Seamless poured-in place gasket.
- All models larger than 4" x 4" include a removable 14 gauge inner panel.
- Tapped studs are provided for mounting inner panels.
- A bonding stud is provided on the door and a grounding stud is provided in the enclosure

Finish

- Cover and enclosure are natural stainless steel with a smooth brushed finish.
- Removable inner panel is finished in white powder coating.




Automation & Power Incorporated

Quality Products. Service Excellence.

Type 4X Stainless Steel Junction Box 1414 N4 SS Series

Lift-Off Cover with Clamps

Part No.	Enclosure			Panel	
	H	W	D	H	W
<u>1414N4SSA</u>	4.00	4.00	3.00	-	-
<u>1414N4SSC4</u>	6.00	4.00	4.00	4.88	2.88
<u>1414N4SSG</u>	8.00	6.00	3.50	6.75	4.88
<u>1414N4SSE</u>	6.00	6.00	4.00	4.88	4.88
<u>1414N4SSI</u>	10.00	8.00	4.00	8.75	6.88
<u>1414N4SSK</u>	12.00	10.00	5.00	10.75	8.88
<u>1414N4SSM6</u>	14.00	12.00	6.00	12.75	10.88
<u>1414N4SSO6</u>	16.00	14.00	6.00	14.75	12.88